






LIFT SLIDE 2 TRACK PROFILE - HEAD

43mm GLAZING
300kg HARDWARE



22745 29th Dr SE SUITE 110,
BOTHELL, WASHINGTON 98021
UNITED STATES


DRAWING TYPE
PROFILE STANDARDS



22745 29th Dr SE SUITE 110,
BOTHELL, WASHINGTON 98021
UNITED STATES

DRAWING TYPE

PROFILE STANDARDS





AEROFRAME

22745 29th Dr SE SUITE 110,
BOTHELL, WASHINGTON 98021
UNITED STATES

DRAWING TYPE

PROFILE STANDARDS




LIFT SLIDE 2 TRACK PROFILE - JAMB - FIXED

43mm GLAZING
300kg HARDWARE




22745 29th Dr SE SUITE 110,
BOTHELL, WASHINGTON 98021
UNITED STATES

DRAWING TYPE
PROFILE STANDARDS





LIFT SLIDE 2 TRACK PROFILE - JAMB - INTERLOCK

43mm GLAZING
300kg HARDWARE



22745 29th Dr SE SUITE 110,
BOTHELL, WASHINGTON 98021
UNITED STATES

DRAWING TYPE
PROFILE STANDARDS



LIFT SLIDE 2 TRACK PROFILE - JAMB - INTERLOCK

43mm GLAZING
300kg HARDWARE



22745 29th Dr SE SUITE 110,
BOTHELL, WASHINGTON 98021
UNITED STATES

DRAWING TYPE
PROFILE STANDARDS