



LIFT SLIDE 3 TRACK PROFILE - HEAD

31mm GLAZING
300KG HARDWARE



22745 29th Dr SE SUITE 110,
BOTHELL, WASHINGTON 98021
UNITED STATES

DRAWING TYPE
PROFILE STANDARDS




LIFT SLIDE 3 TRACK PROFILE - SILL

3mm GLAZING
300KG HARDWARE




22745 29th Dr SE SUITE 110,
BOTHELL, WASHINGTON 98021
UNITED STATES

DRAWING TYPE
PROFILE STANDARDS



LIFT SLIDE 3 TRACK PROFILE - JAMB - OPERABLE

31mm GLAZING
300KG HARDWARE




22745 29th Dr SE SUITE 110,
BOTHELL, WASHINGTON 98021
UNITED STATES

DRAWING TYPE
PROFILE STANDARDS


INTERIOR

EXTERIOR




LIFT SLIDE 3 TRACK PROFILE - JAMB - FIXED

31mm GLAZING
300KG HARDWARE



22745 29th Dr SE SUITE 110,
BOTHELL, WASHINGTON 98021
UNITED STATES

DRAWING TYPE
PROFILE STANDARDS





31mm GLAZING
300KG HARDWARE



22745 29th Dr SE SUITE 110,
BOTHELL, WASHINGTON 98021
UNITED STATES

DRAWING TYPE

PROFILE STANDARDS



LIFT SLIDE 3 TRACK PROFILE - JAMB - INTERLOCK XX

31mm GLAZING
300KG HARDWARE



22745 29th Dr SE SUITE 110,
BOTHELL, WASHINGTON 98021
UNITED STATES

DRAWING TYPE
PROFILE STANDARDS